

## Surgical Pathology Report

---

### SPECIMEN(S) RECEIVED

- A: Endocervical curettings
- B: Endometrial curettings
- C: Portion of left ovary
- D: Left periureteral, biopsy
- E: Left ovarian fossa
- F: Left uterosacral ligament, biopsy
- G: Left cul de sac, biopsy
- H: Right cul de sac, biopsy
- I: Right periureteral, biopsy
- J: Midline cul de sac, biopsy
- K: Ovarian fossa
- L: Right ovarian ligament, biopsy
- M: Right uterine artery

### CLINICAL INFORMATION

History of endometriosis normal estrogen symptomatic postprocedural ovarian failure endometriosis of pelvic peritoneum pain in pelvis menorrhagia excessive and frequent menstruation poly menorrhea

### PRE OP DIAGNOSIS

endometriosis

---

### FINAL DIAGNOSIS

- A. Endocervical curettings:  
Endocervical tissue within normal limits.
- B. Endometrial curettings:  
Mixture of endometrial and endocervical tissue.
- C. Portion of left ovary:  
Ovarian tissue within normal limits.
- D. Left periureteral, biopsy:  
Involved by endometriosis.
- E. Left ovarian fossa:  
Fibroadipose tissue with mild chronic inflammation.
- F. Left uterosacral ligament, biopsy:  
Fibrous tissue within normal limits.
- G. Left cul de sac, biopsy:  
Fibroadipose tissue within normal limits.

- H. Right cul de sac, biopsy:  
Involved by endometriosis.
- I. Right periureteral, biopsy:  
Involved by endometriosis.
- J. Midline cul de sac, biopsy:  
Involved by endometriosis.
- K. Ovarian fossa:  
Involved by endometriosis.
- L. Right ovarian ligament, biopsy:  
Involved by endometriosis.
- M. Right uterine artery:  
Involved by endometriosis.

---

---

**GROSS DESCRIPTION**

The specimen is received in thirteen parts.

Part A, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in A1.

Part B, received in formalin is (are) multiple piece(s) of hemorrhagic pale tan soft tissue measuring 0.5 cm. in greatest dimension. Entirely submitted in B1.

Part C, received in formalin is (are) 1 piece(s) of tan white soft tissue measuring 1.5 x 1.0 cm. in greatest dimension. Entirely submitted in C1.

Part D, received in formalin is (are) 1 piece(s) of yellow soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in D1.

Part E, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in E1.

Part F, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.6 cm. in greatest dimension. Entirely submitted in F1.

Part G, received in formalin is (are) 1 piece(s) of yellow soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in G1.



Part H, received in formalin is (are) 1 piece(s) of tan white soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in H1.

Part I, received in formalin is (are) 1 piece(s) of tan white soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in I1.

Part J, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in J1.

Part K, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in K1.

Part L, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in L1.

Part M, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.7 cm. in greatest dimension. Entirely submitted in M1.

