

Surgical Pathology Report

SPECIMEN(S) RECEIVED

- A: Endocervical curettings
- B: Intrauterine contents
- C: Left round ligament, biopsy
- D: Left pelvic sidewall, biopsy
- E: Left IP ligament, biopsy
- F: Left ovarian ligament, biopsy
- G: Left periureteral, biopsy
- H: Left cul de sac, biopsy
- I: Right periureteral sacral ligament, biopsy
- J: Right cul de sac, biopsy
- K: Right ovarian cyst capsule
- L: Bladder flap, biopsy

CLINICAL INFORMATION

Endometriosis uterus arcuatus polycystic ovary syndrome trabeculation of urinary bladder pelvic pain congenital uterine anomaly anatomy irregular periods secondary dysmenorrhea

PRE OP DIAGNOSIS

ENDOMETRIOSIS UTERUS ARCUATUS POLYCYSTIC OVARY SYNDROME TRABECULATION OF URINARY BLADDER PELVIC PAIN

FINAL DIAGNOSIS

- A. Endocervical curettings:
Endocervical and endometrial tissue within normal limits.
- B. Intrauterine contents:
Abundant endometrial and myometrial tissue within normal limits.
- C. Left round ligament, biopsy:
Involved by endometriosis.
- D. Left pelvic sidewall, biopsy:
Involved by endometriosis.
- E. Left IP ligament, biopsy:
Involved by endometriosis.
- F. Left ovarian ligament, biopsy:
Involved by endometriosis.
- G. Left periureteral, biopsy:
Involved by endometriosis.

- H. Left cul de sac, biopsy:
Involved by endometriosis.
- I. Right periureteral sacral ligament, biopsy:
Involved by endometriosis.
- J. Right cul de sac, biopsy:
Involved by endometriosis.
- K. Right ovarian cyst capsule, excision:
No tissue identified grossly.
See gross description.
- L. Bladder flap, biopsy:
Involved by endometriosis.

GROSS DESCRIPTION

The specimen is received in twelve parts.

Part A, received in formalin is (are) 2 piece(s) of tan white soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in A1.

Part B, received in formalin is (are) multiple piece(s) of tan white soft tissue measuring 2.5 x 1.5 x 0.2 cm. in greatest dimension. Entirely submitted in B1.

Part C, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.5 cm. in greatest dimension. Entirely submitted in C1.


Part D, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.9 cm. in greatest dimension. Entirely submitted in D1.

Part E, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 x 0.5 cm. in greatest dimension. Entirely submitted.

Part F, received in formalin is (are) 1 piece(s) of tan yellow soft tissue measuring 0.4 cm. in greatest dimension. Entirely submitted.

Part G, received in formalin is (are) 1 piece(s) of pale tan pink soft tissue measuring 2.0 cm. in greatest dimension. Entirely submitted.

Part H, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.5 cm. in greatest dimension. Entirely submitted.



Part I, received in formalin is (are) 2 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in I1.

Part J, received in formalin is (are) 2 piece(s) of pale tan soft tissue measuring 1.1 cm. in greatest dimension. Entirely submitted in J1.

Part K, received in formalin is: No tissue identified, verified by 2 people.

Part L, received in formalin is (are) 1 piece(s) of white soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in L1.



MICROSCOPIC DESCRIPTION

Unless "gross only" is specified, the final diagnosis for each specimen is based on a microscopic examination of representative sections of tissue.

