

Surgical Pathology Report

SPECIMEN(S) RECEIVED

- A: Anterior abdominal wall omentum
- B: Left round ligament, biopsy
- C: Right fallopian tube, biopsy
- D: Left fallopian tube, biopsy
- E: Rectal wall, biopsy
- F: Left periureteral, biopsy
- G: Right periureteral, biopsy
- H: Left pelvic sidewall, biopsy
- I: Left fibroid capsule
- J: Right ovary
- K: Retroperitoneal fibroid
- L: Uterus NOS
- M: Omentum, biopsy

CLINICAL INFORMATION

Uterine leiomyoma incomplete emptying of urinary bladder recurrent urinary tract infection due pain in pelvis irregular period secondary dysmenorrhea intrauterine synechiae chronic interstitial cystitis, uterine fibroid

PRE OP DIAGNOSIS

UTERINE FIBROID

FINAL DIAGNOSIS

- A. Anterior abdominal wall omentum, excision:
Omentum within normal limits.
- B. Left round ligament, biopsy:
Involved by endometriosis.
- C. Right fallopian tube, excision:
Fallopian tube within normal limits.
- D. Left fallopian tube, excision:
Fallopian tube within normal limits.
- E. Rectal wall, biopsy:
Involved by endometriosis.
- F. Left periureteral, biopsy:
Involved by endometriosis and microcalcification.
- G. Right periureteral, biopsy:
Involved by endometriosis.

- H. Left pelvic sidewall, biopsy:
Fibroadipose tissue with features of endometriosis.
- I. Left fibroid capsule, excision:
Involved by endometriosis.
- J. Right ovary, excision:
Ovarian tissue with features of endometrioma.
- K. Retroperitoneal fibroid, excision:
Consistent with hyalinized leiomyoma.
- L. Uterus, supracervical hysterectomy:
Myometrium with leiomyomata and adenomyosis.
Endometrium within normal limits.
- M. Omentum, biopsy:
Omentum within normal limits.

GROSS DESCRIPTION

The specimen is received in thirteen parts.

Part A, received in formalin is (are) 1 piece(s) of yellow soft tissue measuring 3.5 x 2.0 x 0.6 cm. in greatest dimension. Representative sections submitted in A1.

Part B, received in formalin is (are) 1 piece(s) of yellow soft tissue measuring 2.0 cm. in greatest dimension. Entirely submitted in B1.


Part C, received in formalin is (are) 1 piece(s) of tan red soft tubular structure measuring 5.0 x 2.0 cm. in greatest dimension. Representative sections submitted in C1-C2.

Part D, received in formalin is (are) 1 piece(s) of tan pink soft tubular structure measuring 3.5 x 1.3 cm. in greatest dimension. Representative sections submitted in D1-D2.

Part E, received in formalin is (are) 1 piece(s) of tan red soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in E1.

Part F, received in formalin is (are) 1 piece(s) of tan red soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in F1.

Part G, received in formalin is (are) 1 piece(s) of tan red soft tissue measuring 1.3 cm. in greatest dimension. Entirely submitted in G1.



Part H, received in formalin is (are) 1 piece(s) of brown soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in H1.


Part I, received in formalin is (are) 1 piece(s) of red brown soft tissue measuring 4.1 x 2.2 x 0.8 cm. in greatest dimension. Representative sections submitted in I1.

Part J, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 4.0 x 4.0 x 2.0 cm. in greatest dimension. Representative sections submitted in J1-J2.

Part K, received in formalin is a tan white fibrotic tissue 8.5 x 7.5 x 6 cm. Sectioning is unremarkable. Rep in 2 blocks.

Part L, received in formalin is a previous incised supracervical hysterectomy 8.5 x 8 x 5.5 cm. Serial sectioning reveals several fibroid ranging from 0.5 to 2 cm in size. Rep in 4 blocks.

Part M, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 4.0 x 3.8 x 0.5 cm. in greatest dimension. Representative sections submitted in M1.



MICROSCOPIC DESCRIPTION

Unless "gross only" is specified, the final diagnosis for each specimen is based on a microscopic examination of representative sections of tissue.

