

Histology Cytology Report

Clinical Information

Preoperative diagnosis: Excessive and frequent menstruation, Pelvic and perineal pain

Clinical data:

Postoperative diagnosis: Same

Special instructions:

Specimen source: A. Endocervical curettings; B. Endometrial curettings; C. Left ovarian fossa

Diagnosis

A. ENDOCERVIX, CURETTINGS:

SCANT DISRUPTED ENDOCERVICAL GLANDULAR MUCOSA WITH NO SIGNIFICANT HISTOPATHOLOGIC ABNORMALITY.

B. ENDOMETRIUM, CURETTINGS:

WEAKLY PROLIFERATIVE ENDOMETRIUM.

ENDOCERVICAL GLANDULAR MUCOSA WITH NO SIGNIFICANT HISTOPATHOLOGIC ABNORMALITY.

C. LEFT OVARIAN FOSSA, EXCISION:

ENDOMETRIOSIS.

Gross Description

A. In formalin labeled "endocervical curettings" is a 1.3 x 0.7 x 0.3 cm aggregate of tissue fragments admixed with mucus. Totally submitted, 1 block.

B. In formalin labeled "endometrial curettings" is a 2.3 x 1.7 x 0.4 cm aggregate of tissue fragments admixed with clotted blood. Totally submitted, 1 block.

C. In formalin labeled "left ovarian fossa": 1, 0.4 cm tissue piece(s). Totally submitted, 1 block.

Microscopic Description

A, B, and C. Gross description reviewed and microscopic examined.

Comment

cc: