



Surgical Pathology Report



SPECIMEN(S) RECEIVED

- A: Endocervical
- B: Endometrial, biopsy
- C: Cervical biopsy at 1800
- D: Uterine adhesions, biopsy
- E: Left fallopian serosa, biopsy
- F: Left fallopian tube adhesion


CLINICAL INFORMATION

Endometriosis of pelvic peritoneum pain in pelvis dysmenorrhea lower abdominal pain female stress incontinence menorrhagia dysuria pain associated with defecation abdominal bloating low back pain dyspareunia

PRE OP DIAGNOSIS

ENDOMETRIOSIS OF PELVIC PERITONEUM PAIN IN PELVIS DYSMENORRHEA LOWER ABDOMINAL PAIN FEMALE STRESS IN

FINAL DIAGNOSIS

- A. Endocervical curettage:
Small fragment of lower uterine segment within normal limits.
 - B. Endometrial curettage:
Endometrium within normal limits.
 - C. Cervical biopsy at 18:00:
Cervical mucosa within normal limits.
 - D. Uterine adhesions, biopsy:
Adhesive fibrous tissue within normal limits.
 - E. Left fallopian serosa, biopsy:
Serosal surface with features of mullerianosis.
 - F. Left fallopian tube adhesion, biopsy:
Small fragments of fibrous tissue within normal limits.
- 

GROSS DESCRIPTION

The specimen is received in six parts.

Part A, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.4 cm. in greatest dimension. Entirely submitted in A1.

Part B, received in formalin is (are) multiple piece(s) of hemorrhagic soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in B1.

Part C, received in formalin is (are) 1 piece(s) of white soft tissue measuring 0.6 cm. in greatest dimension. Entirely submitted in C1.

Part D, received in formalin is (are) multiple piece(s) of pale tan soft tissue measuring 4.5 cm. in greatest dimension. Entirely submitted in D1.

Part E, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in E1

Part F, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in F1.

