



## Surgical Pathology Report



### SPECIMEN(S) RECEIVED

- A: Right fallopian tube
- B: Right periureteral, biopsy
- C: Left uterosacral ligament, biopsy
- D: Uterus, left fallopian tube and left ovary

### CLINICAL INFORMATION

IRREGULAR PERIODS, ENDOMETRIOSIS OF PELVIC PERITONEUM


### PRE OP DIAGNOSIS

IRREGULAR PERIODS ENDOMETRIOSIS OF PELVIC PERITONEUM PAIN IN PELVIS DYSPAREUNIA DYSMENORRHEA LOW BACK

---

---

### FINAL DIAGNOSIS

- A. Right fallopian tube, salpingectomy:  
Fallopian tube within normal limits.
  - B. Right periureteral, biopsy:  
Fibroadipose tissue within normal limits.
  - C. Left uterosacral ligament, biopsy:  
Involved by endometriosis with very focal microcalcification.
  - D. Uterus, left fallopian tube and left ovary, supracervical hysterectomy and left salpingo-oophorectomy:  
Endometrium and myometrium within normal limits.  
Ovary and fallopian tube within normal limits.
- 


---


---

### GROSS DESCRIPTION

Received specimen in 4 parts.

Part A, received in formalin is a dark purple fallopian tube 7 x 1.4 cm in greatest dimension. Serial sectioning is unremarkable. Representative sections are submitted in (A1).





Part B, received in formalin is a tan soft tissue 1.0 cm in greatest dimension. Serial sectioning is unremarkable. Entirely submitted in (B1).

Part C, received in formalin is a one piece of tan fibrous tissue 0.6 cm in greatest dimension. Entirely submitted in C1.

Part D is labeled "uterus". Received in formalin is a tan-pink supracervical uterus with attached left ovary and fallopian tube. The uterus measures 5 x 5 x 3.5 cm, left ovary 3 x 1.5 x 1 cm and left fallopian tube 5 x 0.5 x 0.5 and weighs 60 gm. Bivalving and serial sectioning of the specimen is unremarkable. Representative sections of bilateral endometrium are submitted in (D1,2) and ovary and fallopian tube in D3.

