

Surgical Pathology Report

SPECIMEN(S) RECEIVED

A: Bilateral fallopian tubes
B: Left ovarian lesion
C: Left peri-ureteral, excision
D: Right ovarian lesion
E: Right peri-ureteral, excision
F: Left uterosacral ligament, excision
G: Uterus and portion of cervix

CLINICAL INFORMATION

Diagnosis Codes:

FINAL DIAGNOSIS

- A. Bilateral fallopian tubes, salpingectomy:
Bilateral fallopian tubes within normal limits.
- B. Left ovarian lesion, excision:
Ovarian parenchyma with hemorrhagic corpus luteum cyst.
- C. Left peri-ureteral, excision:
Involved by endometriosis.
- D. Right ovarian lesion, excision:
Ovarian parenchyma with endometrioma.
- E. Right peri-ureteral, excision:
Involved by endometriosis.
- F. Left uterosacral ligament, excision:
Involved by endometriosis.
- G. Uterus and portion of cervix, hysterectomy:
Myometrium with leiomyomata.
Secretory phase endometrium.
Benign endocervical tissue.

GROSS DESCRIPTION

A. Received in formalin labeled "bilateral fallopian tubes" are two intact fimbriated fallopian tubes that are arbitrarily designated A and B. Fallopian tube A measures 0.4 cm in length by 0.7 cm in diameter. The serosa is tan-gray and smooth. Fallopian tube B measures 3.8 cm in length by 0.7 cm in diameter. The serosa is gray-tan and remarkable for a collapsed cyst that measures 0.9 cm in greatest dimension. Each fallopian tube is sectioned to demonstrate a complete lumen. Representative sections are submitted in two cassettes as follows:

A1-fallopian tube A

A2-fallopian tube B

B. Received in formalin labeled "left ovarian lesion" is a tan-yellow soft tissue fragment that measures 0.8 x 0.8 cm. Entirely submitted in one cassette.

C. Received in formalin labeled "left peri ureteral" is a ragged gray-tan soft tissue fragment, 2.0 x 1.8 cm. Entirely submitted in one cassette.

D. Received in formalin labeled "right ovarian lesion" is a ragged gray-tan soft tissue fragment that measures 2.0 x 1.0 x 0.6 cm. Sectioning reveals a possible focally disrupted unilocular cystic space containing brown hemorrhagic material that measures 1.1 cm in greatest dimension. Entirely submitted in one cassette.

E. Received in formalin labeled "right peri ureteral" is a tan-yellow soft tissue fragment that measures 1.0 x 1.0 cm. The specimen is trisected and entirely submitted in one cassette.

F. Received in formalin labeled "left uterosacral ligament" are two yellow-tan soft tissue fragments, 0.8 x 0.6 cm and 1.0 x 0.8 cm. Each fragment is bisected and the specimen is entirely submitted in one cassette.

G. Received in formalin labeled "uterus and portion of cervix" is a previously incised supracervical hysterectomy specimen that weighs 51 g and measures 6.0 cm from superior to inferior, 3.7 cm from cornu to cornu, and 4.0 cm from anterior to posterior. A 0.7 cm portion of possible cervix is present. The triangular endometrial cavity measures 3.2 x 2.0 cm and is lined by tan, polypoid endometrium that measures 0.3 cm thick. Sectioning reveals two firm white, whorled intramural nodules that measure 0.6 x 0.5 x 0.5 cm and weight 7 x 0.6 x 0.6 cm. The remaining myometrium is tan, densely trabeculated, and measures 2.0 cm thick. Representative sections are submitted in six cassettes as follows:

G1-anterior cervix

G2-posterior cervix

G3-G4-full-thickness anterior uterine wall to include intramural nodule in G4

G5-G6-full-thickness posterior uterine wall to include intramural nodule in G5