

Clinical Information

Preoperative diagnosis: Pelvic and Perineal Pain, Dysmenorrhea, Abdominal Distention Clinical data:

Postoperative diagnosis: Same, Adhesions, Endometriosis

Special instructions:

Specimen source: A. Endocervical Curettings; B. Endometrial Curettings; C. Left Cul De Sac; D. Left Ovarian Ligament

Diagnosis

A. ENDOCERVIX, CURETTINGS:

ENDOCERVICAL GLANDULAR MUCOSA WITH NO SIGNIFICANT HISTOPATHOLOGIC ABNORMALITY.

B. ENDOMETRIUM, CURETTINGS:

DISRUPTED INACTIVE ENDOMETRIUM.

C. LEFT PELVIC CUL-DE-SAC, EXCISION:

ENDOMETRIOSIS.

D. LEFT OVARIAN LIGAMENT, EXCISION:

ENDOMETRIOSIS.

Gross Description

A. In formalin labeled "endocervical curettings" is a $2.0 \times 1.0 \times 0.1$ cm aggregate of tissue fragments admixed with mucus. Totally submitted, 1 block.

- B. In formalin labeled "endometrial curettings" is a 2.3 \times 1.5 \times 0.2 cm aggregate of tissue fragments admixed with clotted blood. Totally submitted, 1 block.
- C. Received in formalin and labeled "left cul-de-sac" is a 0.4 cm, tan-white tissue fragment. Totally submitted, 1 block.
- D. Received in formalin and labeled "left ovarian ligament" is a $0.6 \times 0.5 \times 0.4$ cm tan-white portion of tissue. Totally submitted, 1 block.