

# Histology Cytology Report

### Clinical Information

Preoperative diagnosis: Deep endometriosis of the pelvic peritoneum, Pelvic and perineal pain Clinical data:

Postoperative diagnosis: Pending

Special instructions:

Specimen source: A. Left periureteral; B. Bladder flap; C. Cervix; D. Right bladder flap; E. Right ovarian fossa; F. Right ovary

### Diagnosis

A. LEFT PERIURETERAL PERITONEUM, EXCISION: MILD SUBPERITONEAL FIBROSIS.

B. BLADDER FLAP, EXCISION:

SUBPERITONEAL FIBROSIS.

C. CERVIX, EXCISION:

BENIGN FIBROMUSCULAR STROMA.
FIBROMEMBRANOUS TISSUE, CONSISTENT WITH PERITONEAL ADHESION.

D. RIGHT BLADDER FLAP, EXCISION: GRANULOMATOUS PERITONITIS.

E. RIGHT OVARIAN FOSSA, EXCISION:

NO SIGNIFICANT HISTOPATHOLOGIC ABNORMALITY.

F. RIGHT OVARY, EXCISION:

HEMORRHAGIC CORPUS LUTEUM CYST.

## **Gross Description**

A. In formalin labeled "left periureteral": 1, 1.5  $\times$  1  $\times$  0.2 cm tissue piece(s). The specimen is sectioned. Totally submitted, 1 block.

# Histology Cytology Report

#### **Gross Description**

- B. In formalin labeled "bladder flap": 1, 0.5 cm tissue piece(s). Totally submitted, 1 block.
- C. In formalin labeled "cervix": 2, 0.4-0.7 cm tissue piece(s). Totally submitted, 1 block.
- D. In formalin labeled "right bladder flap": 1, 0.5 cm tissue piece(s). Totally submitted, 1 block.
- E. In formalin labeled "right ovarian fossa": 1, 0.7 cm tissue piece(s). Totally submitted, 1 block.
- F. In formalin labeled "right ovary" is a 4.5 x 2.5 x 2 cm fragmented ovary sectioned to reveal a possible, 3 cm greatest dimension collapsed cyst lined by congested cut surfaces. Sectioning of the remaining ovary demonstrates pink-tan ovarian tissue. Sampled, 3 blocks.

## Microscopic Description

A through F. Gross description reviewed and microscopic examined.