

Surgical Pathology Report

SPECIMEN(S) RECEIVED

A: Endocervical curettings
B: Endometrial curettings
C: Midline bladder flap, biopsy
D: Right bladder flap, biopsy
E: Left ovarian fossa, biopsy
F: Left periureteral, biopsy
G: Left uterosacral ligament, biopsy
H: Left uterine artery
I: Left perirectal, biopsy
J: Right cul de sac, biopsy
K: Midline cul de sac, biopsy
L: Upper cul de sac, biopsy
M: Right fallopian tube cyst
N: Right ovarian fossa, biopsy
O: Right uterosacral ligament, biopsy
P: Right periureteral, biopsy
Q: Right perirectal, biopsy

CLINICAL INFORMATION

Pelvic pain deep" endometriosis of pelvic peritoneum, irregular menstruation

PRE OP DIAGNOSIS

PELVIC PAIN DEEP ENDOMETRIOSIS OF THE PELVIC PERITONEUM IRREGULAR MENSTRUATION

FINAL DIAGNOSIS

- A. Endocervical curettings:
 - Benign squamous mucosa
 - Benign endocervical glands
- B. Endometrial curettings:
 - Proliferative endometrium
 - Fragments of benign endocervical glands
- C. Midline bladder flap, biopsy:
 - Benign fibromuscular tissue
- D. Right bladder flap, biopsy:
 - Endometriosis involving fibromuscular tissue
- E. Left ovarian fossa, biopsy:
 - Endometriosis involving fibroadipose tissue
- F. Left periureteral, biopsy:

- Endometriosis involving fibroadipose tissue
- G. Left uterosacral ligament, biopsy:
 - Endometriosis involving fibroadipose tissue
- H. Left uterine artery, biopsy:
 - Fibromuscular tissue with reactive changes
- I. Left perirectal, biopsy:
 - Benign fibroadipose tissue
- J. Right cul de sac, biopsy:
 - Endometriosis involving fibroadipose tissue
- K. Midline cul de sac, biopsy:
 - Endometriosis involving fibroadipose tissue
- L. Upper cul de sac, biopsy:
 - Fibroadipose tissue with foreign body-type giant cell reaction
- M. Right fallopian tube cyst, cystectomy:
 - Paratubal cyst
- N. Right ovarian fossa, biopsy:
 - Endometriosis involving fibroadipose tissue
- O. Right uterosacral ligament, biopsy:
 - Benign fibrous tissue
- P. Right periureteral, biopsy:
 - Benign fibroadipose tissue
- Q. Right perirectal, biopsy:
 - Endometriosis involving fibroadipose tissue

GROSS DESCRIPTION

The specimen is received in seventeen parts.

Part A, received in formalin is (are) 2 piece(s) of tan-white soft tissue measuring 2.5 cm. in greatest dimension. Entirely submitted in A1.

Part B, received in formalin is (are) multiple piece(s) of tan-white hemorrhagic soft tissue with mucoid material measuring 1.3 cm. in greatest dimension. Entirely submitted in B1.



Part C, received in formalin is (are) 1 piece(s) of tan-white soft tissue measuring 0.4 cm. in greatest dimension. Entirely submitted in C1.

Part D, received in formalin is (are) 1 piece(s) of tan-white soft tissue measuring 0.6 cm. in greatest dimension. Entirely submitted in D1.

Part E, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.3 cm. in greatest dimension. Entirely submitted in E1.

Part F, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in F1.

Part G, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in G1.

Part H, received in formalin is (are) 1 piece(s) of tan-white soft tissue measuring 0.6 cm. in greatest dimension. Entirely submitted in H1.

Part I, received in formalin is (are) 1 piece(s) of yellow soft tissue measuring 1.8 x 0.6 cm. in greatest dimension. Entirely submitted in I1.

Part J, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in J1.

Part K, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.6 cm. in greatest dimension. Entirely submitted in K1.

Part L, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted in L1.

Part M, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.7 cm. in greatest dimension. Entirely submitted in M1.

Part N, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in N1.

Part O, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in O1.


Part P, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in P1.

Part Q, received in formalin is (are) 2 piece(s) of tan-yellow soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in Q1.



MICROSCOPIC DESCRIPTION

Unless "gross only" is specified, the final diagnosis for each specimen is based on a microscopic examination of representative sections of tissue.



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]