

Surgical Pathology Report

SPECIMEN(S) RECEIVED

A: Left round ligament, biopsy
B: Left mesosalpinx, biopsy
C: Left bladder flap, biopsy
D: Right bladder flap, biopsy
E: Cul de sac adhesion
F: Fibroid
G: Right periureteral, biopsy
H: Right pelvic sidewall, biopsy
I: Colon adhesion, biopsy
J: Fallopian tube, cyst

CLINICAL INFORMATION

Deep endometriosis

PRE OP DIAGNOSIS

DEEP ENDOMETRIOSIS

FINAL DIAGNOSIS

- A. Left round ligament, biopsy:
Fibroadipose tissue with mild chronic inflammation.
Negative for malignancy.
- B. Left mesosalpinx, biopsy:
Fibroadipose tissue with mild chronic inflammation and fibrosis.
Negative for malignancy.
- C. Left bladder flap, biopsy:
Endometriosis involving fibroadipose tissue.
Negative for malignancy.
- D. Right bladder flap, biopsy:
Endometriosis involving fibroadipose tissue.
Negative for malignancy.
- E. Cul de sac adhesion:
Fibroadipose tissue with mild chronic inflammation and fibrosis.
Negative for malignancy.
- F. Fibroid:
Leiomyoma.
- G. Right periureteral, biopsy:

**Endometriosis involving fibroadipose tissue.
Negative for malignancy.**

**H. Right pelvic sidewall, biopsy:
Endometriosis involving fibroadipose tissue.
Negative for malignancy.**

**I. Colon adhesion, biopsy:
Fibroadipose tissue with mild chronic inflammation and fibrosis.
Negative for malignancy.**

**J. Fallopian tube, cyst:
Hydrosalpinx.**

GROSS DESCRIPTION

The specimen is received in ten parts.

Part A, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.6 cm. in greatest dimension. Entirely submitted in A1.

Part B, received in formalin is (are) 1 piece(s) of tan-brown soft tissue measuring 0.8 cm. in greatest dimension. Entirely submitted B1.

Part C, received in formalin is (are) 1 piece(s) of tan-white soft tissue measuring 0.7 cm. in greatest dimension. Entirely submitted in C1.

Part D, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.7 cm. in greatest dimension. Entirely submitted in D1.

Part E, received in formalin is (are) 1 piece(s) of tan-white soft tissue measuring 2.3 cm. in greatest dimension. Entirely submitted in E1.

Part F, received in formalin is (are) multiple piece(s) of white fibroid tissue measuring 4.5 x 4.0 x 0.8 cm. in greatest dimension/or aggregate. Representative sections submitted in F1.

Part G, received in formalin is (are) 2 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in G1.

Part H, received in formalin is (are) 1 piece(s) of tan-brown soft tissue measuring 1.5 x 1.0 cm. in greatest dimension. Entirely submitted in H1.

Part I, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in I1.

Part J, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.3 cm. in greatest dimension. Entirely submitted in J1.

MICROSCOPIC DESCRIPTION

Unless "gross only" is specified, the final diagnosis for each specimen is based on a microscopic examination of representative sections of tissue.

