

Surgical Pathology Report

SPECIMEN(S) RECEIVED

- A: Endocervical curettings
- B: Endometrial
- C: Bladder flap, biopsy
- D: Right ovarian fossa, biopsy
- E: Left ovarian fossa, biopsy

CLINICAL INFORMATION

Ehlers disease mixed connective tissue disease gastroparesis autonomic neuropathy dysautonomia Pott disease other
specified irregular menstruation secondary dysmenorrhea frequency of micturition nocturia

PRE OP DIAGNOSIS

EHLENS-DANLOS DISEASE MIXED CONNECTIVE TISSUE DISEASE GASTRO PARESIS AUTONOMIC NEUROPATHY
DYSAUTONOMIA

FINAL DIAGNOSIS

- A. Endocervical curettings:
Benign squamous and endocervical mucosa noted.
- B. Endometrial biopsy:
Disordered proliferative type endometrium with focal changes suggestive of polyp formation.
- C. Bladder flap, biopsy:
Benign fibroadipose tissue with endometriosis.
- D. Right ovarian fossa, biopsy:
Fibroconnective tissue with focal endometriosis.
- E. Left ovarian fossa, biopsy:
Fibroconnective tissue with endometriosis.

GROSS DESCRIPTION

The specimen is received in five parts.

Part A, received in formalin is (are) 1 piece(s) of tan white soft tissue with mucoid material measuring 1.0 cm. in greatest dimension/or aggregate. Entirely submitted in A1.

Part B, received in formalin is (are) 1 piece(s) of tan white soft tissue with mucoid material measuring 4.0 cm. in greatest dimension/or aggregate. Entirely submitted in B1.

Part C, received in formalin is (are) 1 piece(s) of tan white soft tissue measuring 1.2 cm. in greatest dimension/or aggregate. Entirely submitted in C1.

Part D, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.7 cm. in greatest dimension/or aggregate. Entirely submitted in D1.

Part E, received in formalin is (are) 1 piece(s) of white soft tissue measuring 0.8 cm. in greatest dimension/or aggregate. Entirely submitted in E1.

