

Surgical Pathology Report

SPECIMEN(S) RECEIVED

A: Left ovarian fossa
B: Left uterosacral ligament, biopsy
C: Left periureteral, biopsy
D: Left cul de sac, biopsy
E: Rectal wall, biopsy
F: Right cul de sac, biopsy
G: Midline cul de sac, biopsy
H: Right alan masters window, biopsy
I: Right periureteral, biopsy
J: Right ovarian lesion

CLINICAL INFORMATION

Endometriosis of pelvic peritoneum, bilateral pelvic pain

PRE OP DIAGNOSIS

ENDOMETRIOSIS OF PELVIC PERITONEUM BILATERAL PELVIC PAIN CHRONIC BILATERAL LOW BACK PAIN WITHOUT SCI

FINAL DIAGNOSIS

- A. Left ovarian fossa:
Fibroconnective tissue with focal endometriosis.
- B. Left uterosacral ligament, biopsy:
Fibroconnective tissue with focal endometriosis.
- C. Left periureteral, biopsy:
Benign fibroconnective tissue with focal changes suggestive of endometriosis.
- D. Left cul de sac, biopsy:
Fibroconnective tissue with focal endometriosis.
- E. Rectal wall, biopsy:
Fibroconnective tissue with focal endometriosis.
- F. Right cul de sac, biopsy:
Fibroconnective tissue with focal endometriosis.
- G. Midline cul de sac, biopsy:
Benign fibroconnective tissue.
- H. Right alan masters window, biopsy:

Surgical Pathology Report

Fibroconnective tissue with focal endometriosis.

I. Right periureteral, biopsy:
Benign fibroconnective tissue.

J. Right ovarian lesion:
Benign ovarian tissue with changes suggestive of follicular cyst.

GROSS DESCRIPTION

The specimen is received in 10 parts.

Part A, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1 cm. in greatest dimension. Entirely submitted in 1 block.

Part B, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in 1 block.

Part C, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in 1 block.

Part D, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in 1 block.

Part E, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in 1 block.

Part F, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.8 cm. in greatest dimension. Entirely submitted in 1 block.

Part G, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 2 cm. in greatest dimension. Entirely submitted in 1 block.

Part H, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in 1 block.

Part I, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 2.5 cm. in greatest dimension. Entirely submitted in 1 block.

Part J, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in 1 block.

Surgical Pathology Report

MICROSCOPIC DESCRIPTION

Unless "gross only" is specified, the final diagnosis for each specimen is based on a microscopic examination of representative sections of tissue.

Digital image analysis assistance provided by using the Roche Ventana® DP 600 Scanner & navify® Digital Pathology software.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]