

Surgical Pathology Report

SPECIMEN(S) RECEIVED

A: Endocervical curetting
B: Endometrial curetting
C: Right periureteral, biopsy
D: Right cul de sac, biopsy
E: Right fallopian tube cyst
F: Right ovarian fossa
G: Right ovarian capsule
H: Left ovarian adhesion
I: Uterine fibroid, biopsy

CLINICAL INFORMATION

ENDOMETRIOSIS OF PELVIC PERITONEUM, BILATERAL PELVIC PAIN

PRE OP DIAGNOSIS

ENDOMETRIOSIS OF PELVIC PERITONEUM BILATERAL PELVIC PAIN SECONDARY DYSPAREUNIA DEEP
DYSPAREUNIA MEN

FINAL DIAGNOSIS

- A. Endocervical curettings:
Benign endocervical tissue.
 - B. Endometrial curettings:
Endometrium with stromal breakdown and hemorrhage (consistent with menstrual endometrium).
 - C. Right periureteral, biopsy:
Benign fibroadipose tissue.
 - D. Right cul de sac, biopsy:
Fibroadipose tissue with focal endometriosis.
 - E. Right fallopian tube cyst:
Benign paratubal cyst.
 - F. Right ovarian fossa, biopsy:
Fibroadipose tissue with focal features suggestive of endometriosis.
 - G. Right ovarian capsule:
Benign fibroconnective tissue.
 - H. Left ovarian adhesion:
Benign fibroconnective tissue.
-

Surgical Pathology Report

I. Uterine fibroid, biopsy:
Leiomyoma.

GROSS DESCRIPTION

The specimen is received in 9 parts.

Part A is labeled as "endocervical curettage". Received in formalin is/are multiple pieces of white mucous material measuring 1.5 cm in aggregate. Entirely submitted in 1 block.

Part B is labeled as "endometrial curettage". Received in formalin is/are multiple dusky brown hemorrhagic material measuring 1.5 cm in aggregate. Entirely submitted in 1 block.

Part A, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.5 cm. in greatest dimension. Entirely submitted in 1 block.

Part B, received in formalin is (are) multiple piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in 1 block.

Part C, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.2 cm. in greatest dimension. Entirely submitted in 1 block.

Part D, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.2 cm. in greatest dimension. Entirely submitted in 1 block.

Part E, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.3 cm. in greatest dimension. Entirely submitted in 1 block.

Part F, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.2 cm. in greatest dimension. Entirely submitted in 1 block.

Part G, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 0.3 cm. in greatest dimension. Entirely submitted in 1 block.

Part H, received in formalin is (are) 1 possible string like soft tissue measuring 0.5 x 0.1 x 0.1 cm. Entirely submitted in 1 block.

Part I, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.5 cm. in greatest dimension. Trisected and entirely submitted in 1 block.

(YL)

Surgical Pathology Report

MICROSCOPIC DESCRIPTION

Unless "gross only" is specified, the final diagnosis for each specimen is based on a microscopic examination of representative sections of tissue.

Digital image analysis assistance provided by using the Roche Ventana® DP 600 Scanner & navify® Digital Pathology software.

