

Surgical Pathology Report

SPECIMEN(S) RECEIVED

A: Endocervical curettage
B: Endometrium curettage
C: Left periureteral, biopsy
D: Left ovarian fossa, biopsy
E: Left ovarian capsule, biopsy
F: Left uterosacral ligament, biopsy
G: Left cul de sac, biopsy
H: Midline cul de sac, biopsy
I: Right cul de sac, biopsy
J: Right uterosacral ligament, biopsy
K: Right ovarian capsule, biopsy
L: Right ovarian fossa, biopsy
M: Right periureteral, biopsy

CLINICAL INFORMATION

Irregular periods, endometriosis pelvic pain, dysmenorrhea, dyspareunia, abdominal distention dysuria, low back pain

PRE OP DIAGNOSIS

IRREGULAR PERIODS ENDOMETRIOSIS PELVIC PAIN DYSPAREUNIA ABDOMINAL DISTENTION
DYSURIA LO

FINAL DIAGNOSIS

- A. Endocervical curettage:
Endocervical tissue within normal limits.
- B. Endometrium curettage:
Endometrial and endocervical tissue within normal limits.
- C. Left periureteral, biopsy:
Involved by endometriosis.
- D. Left ovarian fossa, biopsy:
Involved by endometriosis.
- E. Left ovarian capsule, biopsy:
Ovarian parenchyma with clusters of histiocytes.
- F. Left uterosacral ligament, biopsy:
Involved by endometriosis.
- G. Left cul de sac, biopsy:
Involved by endometriosis.

A separate fragment of ovarian tissue with sheets of histiocytes.

- H. Midline cul de sac, biopsy:
Involved by endometriosis.
- I. Right cul de sac, biopsy:
Involved by endometriosis.
- J. Right uterosacral ligament, biopsy:
Involved by endometriosis.
- K. Right ovarian capsule, biopsy:
Ovarian parenchyma with corpus luteum cyst.
- L. Right ovarian fossa, biopsy:
Involved by endometriosis.
- M. Right periureteral, biopsy:
Blood fibrin, hemorrhage and mixed inflammatory cells.

GROSS DESCRIPTION

The specimen is received in thirteen parts.

Part A, received in formalin is (are) 1 piece(s) of white soft tissue measuring 2.3 cm. in greatest dimension. Entirely submitted in A1.

Part B, received in formalin is (are) multiple piece(s) of hemorrhagic soft tissue measuring 2.2 cm. in greatest dimension. Entirely submitted in B1.


Part C, received in formalin is (are) 2.5 piece(s) of pale tan soft tissue measuring 1.0 cm. in greatest dimension. Entirely submitted in C1.

Part D, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in D1.

Part E, received in formalin is (are) 1 piece(s) of tan white soft tissue measuring 0.6 cm. in greatest dimension. Entirely submitted in E1.

Part F, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.4 cm. in greatest dimension. Entirely submitted in F1.

Part G, received in formalin is (are) 2 piece(s) of yellow soft tissue measuring 2.0 cm. in greatest dimension. Entirely submitted in G1.



Part H, received in formalin is (are) 1 piece(s) of tan yellow soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in H1.

Part I, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in I1.

Part J, received in formalin is (are) 2 piece(s) of pale tan soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in J1.

Part K, received in formalin is (are) 1 piece(s) of tan orange soft tissue measuring 1.5 cm. in greatest dimension. Entirely submitted in K1.

Part L, received in formalin is (are) 1 piece(s) of pale tan soft tissue measuring 1.7 cm. in greatest dimension. Entirely submitted in L1.

Part M, received in formalin is (are) 1 piece(s) of black soft tissue measuring 1.2 cm. in greatest dimension. Entirely submitted in M1.



MICROSCOPIC DESCRIPTION

Unless "gross only" is specified, the final diagnosis for each specimen is based on a microscopic examination of representative sections of tissue.

